

Energy Code Compliance

The state of Illinois has adopted and amended the 2018 International Energy Conservation Code.

2018 International Energy Conservation Code:

Printed and digital copies of the model IECC may be purchased directly from ICC.

<https://shop.iccsafe.org/>

<https://codes.iccsafe.org>

Printed copies of the model IECC may be viewed at:

- Development Services Department at Oak Brook Butler Government Center, 1200 Oak Brook Rd. (The building is located at the corner of Spring Rd. & 31st St./Jorie Blvd.- Enter the parking lot from Spring Rd., there is no public access from Jorie Blvd.)
- Oak Brook Public Library, 600 Oak Brook Rd. More information on Library Hours may be obtained by calling 630/368-7700

Illinois Amendments to the 2018 Energy Conservation Code:

Key changes on this updated rule including the Illinois Amendments are:

- State Funded Facilities are no longer required to comply with ASHRAE 90.1, they can comply with IECC (ASHRAE 90.1 option is still valid, just not required)
- Previous amendments on Exceptions to Roof assembly is removed
- Definition of high efficacy lighting (≥ 65 lm/W for lamps, ≥ 55 lm/W for fixtures)
- Air Exchange Rate for residential buildings: 4 ACH (previous amendment was 5 ACH)

<https://www2.illinois.gov/cdb/business/codes/Documents/Illinois%20Specific%20Amendments%20with%20Modifications%20Shown.pdf>